

**COLORADO FLORA.** *M. Jones 1878*

*Picea* *Lam.*

~~E Engelmanni~~, *Tepic.*

*subalpina*.

*Abrusca cycloptera*, Gray.

*fragrans*, Nutt.

*Acer glabrum*, Torr.

*Achillea Millefolium*, L.

*Aconitum napatum*, Fisch.

*Actaea spicata*, L., var. *arguta*.

*Actinella scandens*, Nutt.

*grandiflora*, T. & G.

*Richardsonii*, Nutt.

*serrulata*, Nutt.

*Adoxa Moschata*, L.

*Agrimonia Eupatoria*, L.

*Agrimonya* *solana*, Willd.

*varians*, *R. A.*

*Allium vernuum*, Roth.

*reticulatum*, Pres.

*Nuttallii*, Watson.

*Alnus incana*, Willd.

*Alpeocurus aristatus*, Mx.

*Amaranthus albus*, L.

*biloboides*, Watson.

*retroflexus*, L.

*Amherstia psilostachya*, DC.

*trifida*, L.

*Amelanchier Can.*, var. *alnifolia*

*Anemone latifolia*, L.

*Amorpha fruticosa*, Nutt.

*Ampelesis quinquefolia*, Mx.

*Andropogon* ~~spinosus~~, DC.

*spinosus*, Muhl.

*scoparius*, Mx.

*Androsace septentrionalis*, L.

*Anemone multifida*, DC.

*patens*, L. var. *Nuttalliana*.

*Pennsylvanica*, L.

*Antennaria alpina*, Gmel.

*Carpathica*, R. Brown, var.

*puberulenta*, Hook.

*dioica*, Gmel.

*Aphyllon fasciculatum*, T. & G.

*Apocynum cannabinum*, L.

*androsaemifolium*, L.

*Aplopappus Fremontii*, Gray.

*imbriculoides*, T. & G.

*Parryi*, Gray.

*pygmaeus*, Gray.

*spinosus*, T. & G.

*spinulosus*, DC.

*Aquilegia vulgaris*, L.

*variegata*, L. *V. C.*

*Arabis Drummondii*, Gray.

*hirsuta*, Scop.

*retrofracta*, Grub.

*Aralia nudicaulis*, L.

*Archangelicus atropurp.*, Hoffm.

*Gmelini*, DC.

*Arctostaphylos Uva-ursi*, Spr.

*Arenaria arctica*, Stev.

*Fendleri*, Gray.

" var. *subeungesta*, Wat.

" var. *efusa*, Porter.

*litterifera*, L.

*verna*, L.

*Rossii*, R. Br.

*Aroushobium robustum*, Eng.

*Aromenea Fendleri*, Gray.

*Argemone hispida*, Gray.

*Aristida oligantha*, Mx.

*purpurea*, Nutt. *var.*

*Fendleri*.

*Arnica angustifolia*, Wahl.

*cordifolia*, Hook.

*latifolia*, Bong.

*mollis*, Hook.

*Artemisia annua*, L.

*annua*, Presl.

*Canadensis*, Mx.

*Artemisia filifolia*, Torr.

*discrepans*, Presl.

*frigida*, Willd.

*Lesoviciana*, Nutt., typical

form and 3 var. *et. ceteras*,

*scopulorum*, Gray.

*glomerata*, Gray.

*Norvegica*, L.

*tridentata*, Pursh.

*biennis*, L.

*Assagia species*, Torr.

*ovalifolia*, Desvaine.

*verticillata*, L. var.

*Aspidium Filix-mas*, Sw.

*Asplenium Trichomanes*, L.

*septentrionale*, L.

*Aster Fendleri*, Gray.

*absondens*, Lindl.

" var. *ciliatifolius*, T. & G.

" var. *Fremontii*, T. & G.

" var. *Parryi*, Watson.

*ericoides*, L. var. *strictus*.

*Coloradensis*, Gray.

*Nuttallii*, T. & G.

*glacialis*, Nutt.

*glaucus*, T. & G.

*hirsuta*, L.

*multiflora*, Ait.

*New-Angliae*, L.

*ptarmicoides*, T. & G.

*salsuginosa*, Rich.

*Astragalus abortivum*, Rich.

*adscurgens*, Pall.

*alpinus*, L.

*bicoloratus*, Gray.

*campestris*, Gray.

*canescens*, L.

*caryocarpus*, Ker.

*decumbens*, Gray.

*diversifolius*, Gray.

*Drummondii*, Dougl.

*hexagonus*, Dougl.

*hypogaeus*, L.

*iodanthus*, Watson.

*Kentrophyta*, Gray.

*litoliformis*, Hook.

*microlobus*, Gray.

*Missouriensis*, Nutt.

*multiflorus*, Gray.

*obcordata*, Hornem. var.

*americensis*, Gray.

*Parryi*, Gray.

*picta*, Gray. var.

*trifolia*, Gray.

*racemosus*, Presl.

*Shortianum*, Nutt.

*sparsiflorus*, Gray.

*triflorus*, Gray.

*Atriplex patula*, L.

*Bahia oppositifolia*, T. & G.

*Beckmannia eruciformis*, Host.

*Berberis Aquifolium*, Presl.

*Betula gaudichaudii*, Mx.

*occidentalis*, Hook.

*Bistorta capitata*, L.

*Bidens chrysanthemoides*, Mx.

*frondosa*, L.

*bipinnata*, L.

*Bigoletia Bigelowii*, Gray.

" *Intifolia*, Gray.

" *tortifolia*, Gray.

*graveolens*, Gray. *var.*

*monanda*, Gray.

*Parryi*, Gray.

*Bromus* *Boreogiganteus*

*Bouteloua curtipendula*, Gray.

*oligostachys*, Torr.

*Brickellia California*, Gray.

*grandiflora*, Nutt.

*Brunnula ciliatula*, L. *Akkr. per-*

*gas*, L.

*berberistis*, Thurber?

*Brunella vulgaris*, L.

*Bucholia dactyloides*, Eng.

*Calangnathia Canadensis*, Bu-

*striata*, Trin.

*Calochortus pygmaeus*, Gray.

*Callitricha verba*, L.

*Calostoma Gunnisonii*, Watson

*Caltha leptosepala*, DC.

*Calystegia sepium*, R. Br.

*Camestra sativa*, Crantz.

*Campanula emarginata*, L.

*Longiflora*, Fisch.

*rotundifolia*, L.

*Capella Barns-pastoris*, M'nech

*Cardamine cordifolia*, Gray.

*Carpus Gaudieri*, B. & H.

*Castilleja breviflora*, Gray.

*integra*, Gray.

*linariacaulis*, Benth.

*pallida*, Kit. and two forms

called varieties.

*sessiliflora*, Presl.

*Catabrosa aquatica*, Beauv.

*Ceanothus Fendleri*, Gray.

*ovatus*, Bigelow.

*ovatus*, Desf.

*Cenchrus tribuloides*, L.

*Cercocarpus parviflorus*, Nutt.

*Ceratium arvense*, L.

*vulgatum*, L., var. *Beh-*

*ringianum*, Gray.

*notatus*, Raf., var. *brachy-*

*pedum*, Eng.

*Cereus viridis*, Eng.

*Chaenactis Douglasii*, H. & A.

*Chara*, two species not named.

*Cheilanthes Fendleri*, Hook.

*laevigata*, Nutt.

*tomentosa*, Link.

*Chenopodium album*, L.

*hybridum*, L.

*leptophyllum*, Watson.

*Chionophila Jamesii*, Benth.

*Chrysopsis villosa*, Nutt. 3 vars.

*Cicuta maculata*, L.

*Circassia Pacifica*, Gray.

*Cleome integrifolia*, T. & G.

*Collomia parviflora*, Dougl.

*linearis*, Nutt.

*longiflora*, Gray.

*Comandra pallida*, DC.

*Convolvulus bohemicus*, Eng. & G.

*Corynepedium hyssopifolium*, L.

*Cornus stolonifera*, Mx.

*Corydalis sericea*, Nutt.

*montana*, Gray.

*Corylus rostrata*, Ait.

*Crataegus Douglasii*, Lindl?

(2 widely different forms.)

*Cryptogramme acrostichoides*,

- Crepis acuminata*, Nutt.  
 runcinata, T. & G.  
*Croton Texensis*, Mull.  
*Cucurbita perennis*, Gray.  
*Cuscuta dœscoi*, Chois. & Eng.  
 Gronovii, var. curta, Eng.  
*Cymopterus alpinus*, Gray.  
 glomeratus, DC.  
 montanus, Nutt.  
*Cyclodium ptyphyllum*, M.-L.  
*Cyperus inflexus*, Muell.  
 Schwartzii, Torr.  
*Cystopteris fragilis*, Bernh.  
*Dalea Jamesii*, Torr.  
*Banthoxys sericea*, Nutt.  
*Delphinium stratum*, Mx.  
 Mensiesii, DC.  
 scopulorum, Gray.  
*Diplopappus ericoides*, T. & G.  
*Dodecatheon Meadia*, L.  
*Draba alpina*, L.  
 sarens, Vahl.  
 crassifolia, Grub.  
 nemorosa, var. lutes, Gray.  
 " var.?  
*Caroliniana*, Walt., v. mi-  
 crantha, Nutt.  
*streptosarpa*, Gray.  
 " var.?  
*Dracophyllum parviflorum*.  
*Dryas octopetala*, L.  
*Dysosma chrysanthemoides*, Lag.  
*Echimeum lobata*, T. & G.  
*Echimeum deflexum*, Leh.  
 Redowskii, Lehm.  
 leiocarpum, Watson.  
*Eleocharis acicularis*, R. Br.  
 palustris, R. Br.  
*Ellisia Nycteles*, L.  
*Elymus aranarius*, Nutt.  
 Canadensis, L.  
 Sibiricus, Schult.  
 triticoides, Nutt.  
 Virginicus, L.  
*Elyna spicata*, Schk.  
*Epilobium alpinum*, L.  
 angustifolium, L.  
 latifolium, L.  
 orangifolium.  
 palustre, L.  
 coloratum, Muhl.  
*Equisetum pratense*, Ehrh.  
*Eragrostis pes-caprae*, Bv., var.  
 megastachya, Gray.  
 Purshii, Herab.  
*Erigeron armeriaefolium*, Turcz.  
 Bellidiastrum, Nutt.  
 Canadense, L.  
 canum, Gray.  
 compositum, Pursh.  
 divergens, T. & G.  
 flagellaris, Gray.  
 macranthum, Nutt.  
 concinnum, T. & G.  
 ursine, Eaton.  
 uniforme, L.  
 radicans.  
*Eriocoma cuspidata*, Nutt.  
*Eriogonum alatum*, Torr.  
 annuum, Nutt.  
 corymbosum, Benth.  
 cernuum, Nutt.  
 flavum, Nutt.  
 Gordonii, Benth.  
 Jamesii, Benth.  
 " var.?  
 microthecum, Nutt., var.  
 Fenderianum, Benth.  
 " var. effusum, T&G  
 paniculatum, Pursh.  
 nubilatum, Torr.  
*Eriophorum polystachyon*, L.  
  
*Eritrichium aretioides*, Hook.  
 crassipespalum, Torr.  
 glomeratum, DC., var.  
 virginicum, Porter.  
 Jamesii, Torr.  
 villosum, DC., var.  
*Erysimum segerum*, DC., var.  
 Arkansanum, Nutt.  
 var. punicum, Watson.  
 cheiranthoides, L.  
*Eupatorium purpureum*, L.  
*Euphorbia distylosperna*, Eng.  
 Fendleri, T. & G.  
 glyptosperma, Eng.  
 marginata, Pursh.  
 montana, Eng.  
 petaloidea, Eng.  
 revoluta, Eng.  
 serpyllifolia, Pers.  
 stictosperma, Eng.  
*Eurotia lanata*, Moq.  
*Evernia vulpina*, Willd.  
*Evolvulus argenteus*, Pursh.  
  
*Fallugia paradoxa*, Torr.  
*Festuca tenella*, Willd.  
 ovina, L., var. durissula.  
*Fraxaria vesca*, L.  
 Virginiana, Ehrh. (f. typ.)  
*Franseria* Hoskieriana, Nutt.  
 tenella, Gray.  
*Froelichia Floridana*, Moq.  
*Frasera speciosa*, Dougl.  
*Gaillardia aristata*, Pursh.  
 pinnatifida, Torr.  
*Galium boreale*, L.  
 triforum, Mx.  
*Gaura coccinea*, Nutt.  
 parviflora, Dougl.  
*Gayophytum racemosum*, T&G  
 ramosissimum, T. & G.  
*Gentiana affinis*, Smith.  
 Amarellus, L.  
 barbellata, Eng.  
 frigida, Huenke, var. al-  
 gida, Pall.  
 humilis, Stev.  
 Parryi, Eng.  
*Geranium Fremontii*, Torr.  
 Richardsonii, F. & M.  
*Genus Rosell*, Seringe.  
 macrophyllum, Willd.  
 strictum, Ait.  
 triflorum, Pursh.  
 rivale, L.  
*Gilia aggregata*, Spreng.  
 inconspicua, Dougl.  
 pinnatifida, Nutt.  
 pungens, Benth.  
*Glycyrrhiza lepidota*, Nutt.  
*Gnaphalium hetero-album*, L.  
 strictum, Gray.  
*Graphichenium flexuum*, Th'  
*Grindelia squarrosa*, Dunal.  
*Gutierrezia Euthamiae*, T. & G.  
*Habenaria hyperborea*, Gray.  
 obtusa, Lindl.  
*Hedema Drummondii*, Benth.  
 hispida, Pursh.  
*Heuchera autumnalis*, L.  
*Helianthus laevigatus*, Dougl.  
 Nuttallii, Gray.  
 petiolaris, Nutt.  
 pulvinis, Nutt.  
 " ?  
 rigidus, Desf.  
*Heliotropium Corassavicum*, L.  
*Hersilioides leonurus*, Mx.  
  
*Housea bracteata*, Seringe.  
 Hallii, Gray.  
 parviflora, Nutt.  
*Hieracium trioste*, Willd.  
*Hierochloë borealis*, R. & S.  
*Hippuris vulgaris*, L.  
*Hordeum jubatum*, L.  
 pratinense, Hudson.  
*Humulus Lupulus*, L.  
*Hydrophyllum Fendleri*, Gray.  
 occidentale, Gray, var.  
*Hymenopappus tenuifolius*, Ph.  
*Hypericum Scouleri*, Hook.  
*Ipomoea leptophylla*, Torr.  
*Iris tenax*, Dougl. ?  
*Iva axillaris*, Pursh.  
 xanthiifolia, Gray.  
*Juncus Americans*, T. & G.  
*Juncus alpinus*, Vill.  
 Battisone, Deth.  
 bononiensis, L.  
 Drummondii, E. Meyer.  
 longistylis, Torr.  
*Mertensia* Bong.  
 nodosa, L., v. megaceph-  
 alus, Torr.  
 tensis, Willd.  
 triglumis, L.  
 xiphioidea, E. Meyer, var. ?  
 montanus, Eng.  
*Juniperus Virginiana*, L.  
 occidentalis, Hook.  
*Kalmia glauca*, Alt.  
*Koeleria cristata*, Pers.  
*Kuhnia eupatorioides*, L. <sup>and</sup> var.  
 gracilis, T. & G.  
*Lactuca Ludoviciana*, DC.  
*Lathyrus linearia*, Nutt.  
 ornatus, Nutt.  
 palustris, L.  
 polymorphus, Nutt.  
*Leersia oryzoides*, Swz.  
*Lemna minor*, L.  
*Lepidium columbianum*, T. & G.  
*Lepidium intermedium*, Gray.  
 " ?  
 montanum, Nutt.  
 Virginicum, L.  
*Lepturus paniculatus*, Nutt.  
*Lencoecium montanum*, Nutt.  
*Liatris punctata*, Hook.  
*Ligusticum apollinaris*, H. & B.  
 secalifolium, Gray.  
*Lilium Philadelphicum*, L.  
*Limosella aquatica*, L.  
*Limaria Canadensis*, Spreng.  
*Linnsea borealis*, Greene.  
*Linum perenne*, L.  
*Listena cordata*, R. Br.  
*Lithospermum angustifol.*, Mx.  
 multiflorum, Torr.  
*Lloydia serotina*, Reich.  
*Lobelia syphilitica*, L.  
*Lonicera involucrata*, Banks.  
*Lophanthus anisatus*, Benth.  
*Lowellia aurea*, Torr.  
*Lupinus argenteus*, Pursh, var.  
 decumbens, Wilson.  
 caespitosus, Nutt. trist.  
 parviflorus, Nutt.  
 pusillus, Pursh.  
*Luzula spicata*, DC., var. par-  
 viflora, Ledeb.  
 spicata, Desv.  
*Lychis apetalia*, L.  
 Drummondii, Watson.  
*Lyceopus singatus*, Ell.  
*Lygofoemisia juncea*, Don.  
*Lysimachia ciliata*, L.  
*Lythrum salicaria*, Pursh.  
*Malvastrum coccineum*, Gray.  
*Medicago sativa*, L.

- Machneranthera canescens*, Gr.  
 var. *latifolia*, Gray.  
*tanacetifolia*, Nees.  
*Melampodium cinereum*, DC.  
*Mentha Canadensis*, L.  
*Mentzelia albicaulis*, Dougl.  
 multiflora, Nutt.  
*nuda*, T. & G.  
*Mertensia alpina*, Don.  
*brevistyla*, Watson.  
*laevigata*, Gray.  
*Sibirica*, Don.  
*Mimulus floribundus*, Dougl.  
 Jamesii, Torrey, var. *Fremontii*, Benth.  
*luteus*, L.  
*Misella pentandra*, Hook.  
*Mollugo verticillata*, L.  
*Monarda aristata*, Nutt.  
*obtusa*, L.  
*Monardella odoratissima*, Benth.  
*Monolepis chenopodioides*, Moq.  
*Montelia tamariscina*, Gray.  
*Muhlenbergia gracilis*, Gr., var.  
 Fendler.  
*gracilis*, Tiers.  
*glomerata*, Trin. ?—1866.  
 C. Wright; collected in New  
 Mexico by Wright and tick-  
 eted as above but I think  
 must be a new species.—Vasey  
*sylvatica*, T. & G.  
 Texana, Thunber.  
*Mulgedium pulchellum*, Nutt.  
*Munroa squarrosa*, Torr.  
*Muscum divaricatum*, Nutt.  
*Myosurus minimus*, L.  
*Nabalus racemosus*, Hook.  
*Nasturtium officinale*, L.  
 officinale, R. Br.  
*hololeuca*, DC.  
*sinuatum*, Nutt.  
*negundo* aceroides, Moenoh.  
*Neslia Torreyi*, Watson.  
*Notholaena* Fendler, Kunze.  
*Obione argentea*, Moq.  
*canescens*, Moq.  
*confertifolia*, Torr.  
*Oenothera albicaulis*, Nutt.  
*bienne*, L.  
*canescens*, Nutt.  
*coronopifolia*, T. & G.  
*pinnatifida*, Nutt.  
*sericea*, Nutt.  
*Onosmodium Carolinianum*, DC.  
*Opanthia Missouriensis*, DC.  
*Orthocarpus luteus*, Nutt.  
*Oryzopsis asperifolia*, Mx.  
*moriorum*, Thunber.  
*Osmorrhiza nuda*, Torr.  
*Oxalis stricta*, L.  
*Oxybaphus angustifolius*, Sweet.  
 nyctagineum, Sweet.  
 var. *cervantesii*, Gray.  
*Oxyria digyna*, Campd.  
*Oxytropis campestris*, L.  
*deflexa*, DC.  
 Lamberti, Persch.  
*multiceps*, Nutt.  
*splendens*, Dougl.  
*Pachystima Myrsinoides*, Raf.  
*Panicum capillare*, L.  
*Crus-galli*, L.  
*dichotomum*, L.  
*panciforme*, Ell.  
*virgatum*, L.  
*Parietaria Pennsylvanica*, Muhl.  
*Parnassia parviflora*, DC.  
*Paronychia Jamesii*, T. & G.  
*polvinata*, Gray.  
*sensilifera*, Nutt.  
*Pectis angustifolia*, Torr.  
*Pedicularis brevistylis*, Benth.  
*Canadensis*, L.  
*crenulata*, Benth.  
*greenii*, Retz.  
*Paucifl. Gray.*  
*procera*, Gray.  
*racemosa*, Dougl.  
*scopulorum*, Gray.  
*Pellaea atropurpurea*, Link.  
*Peltigera sphacelata*, Hedw.  
*Pestlemon acuminatus*, Dougl.  
*albidus*, Nutt.  
*caerulea*, Nutt.  
*Fremontii*, Gray.  
*glabra*, Pursh.  
*g. aures*, Gray.  
*Hallii*, Gray.  
*humilis*, Nutt.  
*secondiflorus*, Benth.  
*Peronnea candata*, Gray.  
*Petalostemon violaceus*, Mx.  
*microstachys*, Torr.  
*Paeonia nudicaulis*, Nutt.  
*Phacelia circinata*, Jacq.  
*glandulosa*, Gray.  
 Popei, T. & G.  
*series*, Gray.  
*Phalaris Canariensis*, L.  
*Phleum alpinum*, L.  
*pratinum*, L.  
*Phlox camptophylla*, Nutt., var.  
*condensata*, Gray.  
*longifolia*, Nutt.  
*Physalis lobata*, Torr.  
*Pennsylvanica*, L.  
*viscosa*, L.  
*Phytaria didymocarpa*, Gray.  
*Picea pungens*, Eng.  
*Pinus aristata*, Eng.  
*contorta*, Eng.  
*flexilis*, James.  
*ponderosa*, Dougl.  
*Placodium elegans*, (Link) Nyl.  
*Piatago eriopoda*, Torr.  
*Patagonica*, Jacq., var.  
*gnaphaloides*, Gray.  
 var. *aristata*, Gray.  
*Pleuraphis Jamesii*, Torr.  
*Pterogynone rotata*, Griseb.  
*Poa Andina*, Nutt.  
 —?  
*abbreviata*.  
*alpina*, L.  
 —?  
*arctica*, R. Br. ?  
*arctica* or *laxa*, Haenke.  
*caesioides*, Smith.  
 —?  
 " var. *strictior*, Gray.  
*flexuosa*, Muhl., var. ?  
 " var. *occidentalis*, (L.)  
*laxa*, Haenke.  
*pratinensis*, L.  
 —?  
 " var.  
*serotina*, Ehrh.  
*tenella*, Nutt.  
 —?  
*Polygonia uniglandulosa*, DC.  
*Polemonium caeruleum*, L., var.  
*foliosissimum*, Gray.  
*confertum*, Gray.  
 var. *millitum*, Gray.  
*viscosum*, Nutt.  
*Polygonum amphibium*, L., var.  
*terrestre*, Willd.  
*vere*, L.  
*avieniflare*, L.  
*Bistorta*, L., var. *oblongi-*  
*folium*, Meisn.  
*Convolvulus*, L.  
*Juncea*, L.  
*Polygonum incarnatum*, Ell.  
*ramosissimum*, Mx.  
*tenue*, Mx.  
 " var. *viviparum*, L.  
*Polyptilon vulgare*, L. (A very  
 reduced form, alt. 8,800 ft.)  
*Populus balsamifera*, L., var.  
*angustifolia*, Watson.  
 var. *candida*, Gray.  
*tremuloides*, Mx.  
*Poecilastra glomerata*, L.  
*Petasites natans*, L.  
*Vaseyi*, Robbins.  
 —?  
 —?  
*Potentilla Anerina*, L.  
*fruticosa*, L.  
*glandulosa*, Lindl.  
*gracilis*, Dougl.  
*Hippiana*, Lehmann.  
*humifusa*, Nutt.  
*nives*, L.  
*Norvegica*, L.  
*Pennsylvanica*, L., var.  
*strigosa*, Pursh.  
*Plattense*, Nutt.  
*paradoxa*, Nutt.  
*Primula angustifolia*, Torr.  
 Perry, Gray.  
*Prunus Americana*, Marshall.  
*Chilensis*, Mx.  
*Pennsylvanica*, L.  
*Virginiana*, L.  
*Pseudotesta Dongolensis*, Coer.  
*Pterolepis argophylla*, Nutt.  
*floribunda*, Nutt.  
*laevigata*, Pursh.  
*Pteris aquilina*, L.  
*Pyrola rotundifolia*, L.  
*secunda*, L.  
*Pyrus sambucifolia*, Ch. & Sch.  
*Quercus alba*, L., var. *Gunnisoni*,  
 Torr.  
*Ranunculus adonis*, Gray.  
 affinis, R. Br., var. *cardio-*  
*phyllus*, Gray.  
 var. *leioscarpus*, Traub.  
*aquatilis*, L., var. *stagnalis*,  
 DC.  
*Flammula*, L., var. *repanda*,  
*hyperborea*, Roth., var.  
*gatana*, C. A. Mey.  
*Nuttallii*, Gray.  
*repens*, L.  
*sceleratus*, L.  
*Rhus aromatica*, Ait., var. *tri-*  
*lobata*, Gray.  
*glabra*, L.  
*Toxicodendron*, L.  
*Ribes aureum*, Pursh.  
*cerosum*, Dougl.  
*hirtellum*, Mx.  
*laevigatum*, Poir.  
*leptanthum*, Gray.  
*prostratum*, L'Her.  
*Rosa blanda*, Ait.  
*Rubus deliciosus*, Torr.  
*strigosa*, Mx.  
*Rudbeckia hirta*, L.  
*laciniata*, L.  
*Rumex acetosella*, L.  
*longifolius*, DC.  
*salicifolius*, Weiss.  
*venosus*, Pursh.  
*Sagittaria variabilis*, Eng.  
*Salix arctica*, Pall., var. *pet-*  
*rea*, Anders.  
*chlorophylla*, And.  
*cordata*, Muhl.  
*desertorum*, And.  
*longifolia*, Muhl., var. *ar-*  
*gophylla*, Nutt.

- Saxifraga irrorata*, And.  
*silvatica*, Marsh., var. *americana*, And.  
*Nocturna-Anglica*, And., var.  
*pseudo-cordata*, And.  
*rotundata*, L.  
*rostrata*, Richards.  
*Salvia lanceolata*, Willd.  
*Sambucus racemosa*, L., var.  
*pubens*, Watson.  
*Sanicula Marilandica*, L.  
*Saponaria vaccaria*, L.  
*Saxifraga bronchialis*, L.  
*caespitosa*, L.  
*cernea*, L.  
*delibella*, Eng.  
*Sagittaria*, W.  
*nivalis*, L.  
*punctata*, L.  
*rivularis*, L.  
*seep-illinoiensis*, Pursh.  
*tricuspidata*, Vahl.  
*Scirpus paniculatus*, Lightf.  
*pungens*, Vahl.  
*validus*, Vahl.  
*Serpula nodosa*, L.  
*Sesuvium portulacastrum*, Torr.  
*Sesuvium tamnium*, Gray.  
*Sesuvium diosca*, DC.  
*Sesuvium petiolatum*, Pers.  
*Sesuvium rupestris*, Sprng.  
*Sesuvium amplexans*, Gray.  
*Andinus*, Nutt.  
*auritus*, L., var. *coccineus*, G.  
 var. *Balsamites*, T&G.  
 var. *obovatus*, T. & G.  
*canus*, Hook.  
*vernuus*, Gray.  
*crenophyllum*, Richards.  
*filiformis*, Nutt.  
*Fremontia*, T. & G.  
*longilobata*, Benth.  
*lignosa*, Richards, var. *exaltata*, Eaton,  
 var. *hookeriana*, Eaton.  
*triangularis*, Hook.  
*rapifolius*, Gray.  
*Seseli Hallatum*, Gray.  
*Setaria Italica*, Kunth.  
*viridis*, Beauvois.  
*glauca*, Beauvois.  
*oastata*.  
*Sibbaldia procumbens*, L.  
*Sidagaea malvaefolia*, Gray.  
*Silene acalis*, L.  
*Sisymbrium campestre*, Nutt.  
*inicum*, Eng.  
 — THE  
*Sieversinia mucronatum*, Mx.  
*Smechowski calycina*, Meyer.  
*Smilacina racemosa*, Desf., var.  
*amplexicantha*, Watson,  
*stellata*, Desf.  
*Solanum nigrum*, L.  
*rotundatum*, Dan.  
*triflorum*, Nutt.  
*Solidago Canadensis*, Gray, var.  
*spectabilis*, Eaton.  
*lanceolata*, L.  
*Missouriensis*, Nutt.  
*nemoralis*, Alt.  
 var. *mollis*, Barth. (?)  
 var. ? (peculiar form.)  
*rigida*, L.  
*speciosum*, Nutt., var. *angustata*, Gr. ? (Gray.)  
*Virga-aurea*, L. (typ. f'm)  
 var. *multiradiata*, T&G.  
 var. *alpina*, Big.  
*gigantea*, Alt. ? (Gray.)  
*Sophora secunda*, Pursh.  
*Sorghumavenaceum*, Chipp. ?  
 — Gray.  
*Sorghum eurycarpum*, Eng.  
*Spartina cynosuroides*, Willd.  
*Spergularia aerea*, Turra.  
*erythropoda*, Gray.  
*ramulosus*, H. B.  
*Specularia perfoliata*, A. DC.  
*Spiraea dumosa*, Nutt.  
*Spiranthes Romanzoffiana*, Ch.  
*Stachys cornuta*, Riddell.  
*Stanleya pinnatifida*, Nutt.  
*Stellaria borealis*, Bigel.  
*Jamesiana*, Torr.  
*longipes*, Goldie.  
*longistylis*, Muell.  
*multiflora*, Turcz.  
*Stipa* ~~canescens~~ *concolor*  
*viridula*, Trin.  
*viridula*, Trin. ?  
*Streptopus amplexifolius*, DC.  
*Suckleya petiolaris*, Gray : very  
*Swertia perennis*, L. [rare]  
*Symphoricarpos Orobophilus*, G.  
*occidentalis*, R. Br.  
*Synthyris alpina*, Gray.  
*plantaginea*, Benth.  
*Talinum teretifolium*, Pers.  
*Taraxacum palustre*, DC.  
*Teloxys cornuta*, Torr.  
*Thlaspi alpinum*, L.  
 Fendleri, Gray.  
*purpureociliatum*, L.  
*sparsifolium*, Turcz.  
*Thelephora trachylepium*, Gray  
 (very different species)  
*Thelypteris filifolium*, Gray.  
*gracile*, Gray.  
*Thermopsis fabacea*, DC., var.  
*montana*, Gray.  
*Thlaspi alpestre*, L.  
*Townsendia grandiflora*, Nutt.  
*sericea*, Hook.  
*Tradescantia Virginica*, L.  
*Tragia stylaris*, Torr.  
*Triaspis acuminata*, Monroe.  
*monstrosa*.  
*trinervigloboides*, T. & G.  
*Trifolium dasycarpum*, T. & G.  
*nanum*, Torr.  
*Parryi*, Gray.  
*Triglochin palustre*, L.  
*Trisetum alpestre*, ?  
*spicatum*.  
*subspicatum*, Beauvois.  
 var. *mollis*, Gray.  
*Triticum repens*, L.  
 var. *acutum*, Vasey.  
 var. *compactum*, Vasey  
*cuneatum*, L.  
*villosum*, Hornemann.  
*Trollius laxus*, Salisb.  
*Troximon suranticum*, Gray.  
*capitatum*, Pursh.  
*glaucescens*, Nutt.  
*glaucum*, Nutt. ?  
*Urtica dioica*, Alt.  
*Usepa barbata*, Fries.  
*Utilago urticarioides*, Tul.  
*Vaccinium caespitosum*, Mx.  
 Myrtillus, L.  
*Valeriana edulis*, Nutt.  
*ylvatica*, Richards.  
*Vaseya comata*, Thunber.  
*Veronica umbellata*, L.  
*bracteosa*, Mx.  
*hastata*, L.  
*Veronica alpina*, L.  
*Americana*, Schw.  
*peregrina*, L.  
*Vesicaria Ludoviciana*, DC.  
*montana*, Gray.  
*Viburnum paniculatum*, Pylais.  
*Vicia Americana*, Muell.  
*Villa cuspidata*, Torr.  
*longifolia*.  
*tricholepis*, Torr.  
*Villanova chrysanthemoides*, G.  
*Viola biflora*, L.  
*Canadensis*, L.  
*canina*, L.  
*euclatia*, Alt.  
*delphinifolia*, Nutt.  
*Neottialis*, Pursh.  
*palustris*, L.  
*Vitis riparia*, Mx.  
*Woodia Oregonia*, Eaton.  
*scopulina*, Eaton.  
*Xanthium strumarium*, L.  
 var. *substratum*, Gray.  
*Ximenesia encelioides*, Cav.  
*Yucca angustifolia*, Persch.  
*Zinnia grandiflora*, Nutt.  
*Zygadenus glaucus*, Nutt.  
*Neottialis*, Gray.

*Poa* *hypogaea* *Saniculoides*  
*falcatus*.

QK 185 THE 1878-81 PL

# COLORADO FLORA.

The accompanying list includes (with the appendix) all the species and varieties collected by me in Colorado during the season of 1878. Most of the sets of 800 species were subscribed for before they were collected; six remain to be sold at the regular price of \$50.00, delivered. The specimens are carefully pressed and so well preserved that the colors of the flowers are preserved in almost every case. The whole collection has been carefully reviewed by Drs. Gray, Parry, Engelmann; by M. E. Bebb, Geo. Vasey, Willey, Peck, &c., and thus no pains have been spared to make the names correct. There will be found to be over 75 additions to Porter's "Flora," and species not in his "Flora" are therefore called "new to Colorado" as his work is the only one of consequence on the plants of Colorado. A few of these have been found by others, and a few are included in recent Government publications. There are seven new species and varieties in this collection, two of them named by Dr. Engelmann and five by Dr. Gray and Sereno Watson.

A number of specimens will remain after the sets are put up; persons can select from these such as they desire, at 10cts. per specimen. Printed labels will accompany each species, stating the day and place of collection. Persons desiring specimens or sets should write at once.

MARCUS E. JONES, A. M.,  
Grinnell, Iowa.

## ADDENDA.

### NEW SPECIES & VARIETIES.

The follow'g species are thought to be new by Dr. Gray, but are not yet named by him:

*Bigelowia* ——

*Bigelowia* ——

*Draba streptocarpa*, var. ——

*Eriogonum* ——

*Pentstemon* ——

*Tornosmia* ——

Two Potamogetons which Dr. Robbins' sudden death prevented from being named are still unnamed.

By adding the two new vars., this list will contain all new to science:

*Juniperus communis*, L., var. *humilis*, Eng.

*Hemicarpha squarroso-squamosa*, var. *squamosa*, Eng.

*Carex alpina*, L.

*atratia*, L., var. *nigra*, Bl.

*nubigena*, Nutt.

*Backii*, Boott.

*Douglasii*, Kunth.

*bromoides*, Schk.

*cancescens*, L.

*capillaris*, L.

*disticha*, Huds.

*festuca*, Dewey.

*filifolia*, Nutt.

*Hooveriana*, Dewey.

*Jamiesii*, Torr., var.

*laevigata*, Ma.

*limula*, Fries.

(Not of Gray's Manu.)

*nigricans*, E. Moyer.

*Pennsylvanica*, Lam.

*rigida*, Good.

*Rossii*, Boott.

*saxatilis*, L. (pulla, Good.)

*siccata*, Dewey?

*strobophylla*, Wahl.

*straminea*, Schk., var. *tenuis*,

Carey.

*tenella*, Schk.

*trichocarpa*, Muell., v. *imberbis*, Carey.

*utriculata*, Boott.

### GRASSES.

These grasses, together with those in the body of the list, have all been verified by Dr. Vasey, of Washington. In a private letter to me now before me he says: "Your list of grasses is a very interesting and full one, including some that I have never seen before from Colorado." Some of these he thinks may be new species—mostly among the doubtful ones in the list.

*Agrostis vulgaris*, Willd.

*Aira caespitosa*, L.

*danthoides*, Trin.

*Alopecurus alpinus*, Smith.

*Andropogon glaucus*.

*Atropis California*, Muell.

*Bromus Kalmii*, Gray, var. *occidentalis*.

*Brizolypnum spinatum*, Hook.

*Calamagrostis longifolia*, Torr.  
*sylvatica*, DC.

*Dactylis glomerata*, L.

*Entonia obtusata*, Gray.

*Elymus Virginicus*, L., var.

*Festuca krylovii*, Brown,  
Orina, L.

Thurberi.

(The remainder of the grasses will be found in the body of the list.)

### CORRECTIONS.

The following vars. were accidentally indented so as to appear like species:

*Aristida purpurea*, Nutt., var.  
Fendleri.

*Astragalus eroboides*, Hornem.  
var. *Americanus*, Gr.

*A. pectin*, Gr. var. *filifolius*, Gr.

*Eriogonum microthecum*, var.  
Fendlerianum, Benth.

*Jamesia alpina*, E. Mey., v.  
*montana*, Eng.

Var. *arctioides*, Hook., belongs  
under *Eritrichium villosum*.

## TO BOTANISTS.

The call for my lists of 1878 has been so great that I have run short; and so have issued this reprint, which contains all corrections up to date. The genera are in the natural order, the species are not.

May 1, 1881.

MARCUS E. JONES, A. M.,

Salt Lake City, Utah.

## FLORA OF COLORADO. 1878 and 1879.

COLLECTED BY MARCUS E. JONES, A. M.

- Clematis alpina*, Mill., var. *Oshotensis*, Gray.  
*Douglasii*, Hook.  
*lignastifolia*, Nutt.  
*Scottii*, Porter.  
*Anemone cylindrica*, Gray.  
 dichotoma, L.  
 multifida, Polz.  
 patens, L., var. *Nuttalliana*, Gray.  
*Thlaspium alpinum*, L.  
 Fendleri, Engelm.  
 purpurascens, L.  
 sparsiflorum, Turea.  
*Musoyer minus*, L.  
*Ranunculus adonis*, Gray.  
 alpinus, R. Br., var. *cardiophyllum*, Gray.  
 var. *leptocarpus*, Turea.  
 aquatilis, L., var. *angustifolia*, DC.  
 var. *trichophyllum*, Gray.  
*Cymbalaria*, Persch.  
*Flammula*, L., var. *repanda*, Mey.  
*hyperborea*, Roth., var. *nudans*, Nuttall, Gray.  
 repens, L.  
 sclerularia, L.  
*Caltha leptosepala*, DC.  
*Trollius laxus*, Salisb.  
*Aquilegia hexaphylla*, Hook.  
 eremita, James.  
*chrysanthra*, Gray.  
*Delphinium nudicaule*, Nutt.,  
 bicolor, Nutt.  
 occidentale, Watson.  
 neopurpureum, Gray.  
*Anemone Columbianum*, Nutt.  
*Aster spicata*, L., var. *argentea*, Torr.  
*Berberis repens*, Lindl.  
*Argemone hispida*, Gray.  
*Corydalis norae*, Willd., var. *secedentaria*, Gray.  
*Draba alpina*, L.  
 andrenacea, Wohl.  
 acaulis, Vahl.  
*Caroliniana*, Walt., var. *microcarpa*, Gray.  
*cuneifolia*, Gray.  
 nemorosa, L., var. ?  
 stenoloba, Ledeb.  
*streptocarpa*, Gray.  
 var. new.  
*Cardamine cordifolia*, Gray.  
*Arabis Drummondii*, Gray.  
 hirsuta, Scop.  
 perfoliata, Lam.  
*Stanleya pinnatifida*, Nutt.  
*Erysimum sparsum*, DC., var. *Arkansanum*, Gray.  
 pauciflorum, Nutt.  
*obovato-pinnatum*, L.  
*Sisymbrium canescens*, Nutt.  
 inaequale, Engelm.  
 " var.  
*Smelowskia calycina*, Meyer.  
*Nasturtium officinale*, L.  
 officinale, R. Br.  
 palustris, DC.  
 sinuatum, Nutt.  
*Vesicaria Ladoviciana*, DC.  
 montana, Gray.  
*Camellia sinensis*, Crantz.  
*Capella Bartramia*, Miersch.  
*Thlaspi alpestre*, L.  
*Lepidium intermedium*, Gray.  
 " ?  
 montanum, Nutt.  
 Virginicum, L.  
*Phalaris diastylis*, Gray.  
*Polygonum trachyspermum*, T. & G.  
*Cleome integrifolia*, T. & G.  
*Hedysarum* —  
*Violia biflora*, L.  
 Canadensis, L.  
 canina, L.  
 caerulea, Alt.  
 delphinifolia, Nutt.  
*Nuttallia*, Pursh.  
 pauciflora, L.
- Silene secunda*, L.  
 austriaca, L.  
 Masicaria, Hook.  
*Scoulerii*, Hook.  
*Lychins apetalis*, L.  
*Brunonianum*, Watson, var.  
*Saponaria Vacaria*, L.  
*Ceratistis arvensis*, L.  
 alpinum, L., var. *Behringerianum*,  
 nutans, Raf., var. *brachypodium*,  
 um, Engelm.  
*Stellaria borealis*, Bigel.  
 crassifolia, Ehrh.  
 crispa, Cham. & Schl. ?  
*Jamiesii*, Torr.  
 longipes, Goldie.  
 longifolia, Muell.  
 umbellata, Turea.  
*Arnica biflora*, var. *obtusa*, Watson.  
*congesta*, Nutt., var. *subcongesta*, Watson.  
 Fendleri, Gray.  
 var. diffusa, Porter.  
 lateriflora, L.  
 versa, L., var. *birta*, Watson.  
*Portulaca oleracea*, L.  
*Talinum teretifolium*, Persch.  
*Calandrinia pygmaea*, Gray.  
*Claytonia Carolinae*, Mx.  
*Chamissoi*, Esch.  
 megarrhiza, Parry.  
*Hypericum Scouleri*, Hook.  
*Sidalcea malvaefolia*, Gray.  
*Malvastrum coccineum*, Gray.  
*Sphaeralcea angustifolia*, Spach.  
*Limon perenne*, L.  
*Gersomia Fremontii*, Torr.  
 Richardsonii, F. & M.  
*Oxalis corniculata*, L., var. stricta, Sav.  
*Pachysandra Myrsinites*, Raf.  
*Ceanothus Fendleri*, Gray.  
 rotundata, Bigel.  
 velutina, Dougl.  
*Vitis riparia*, Mx.  
*Asplenium quinquefolium*, Mx.  
*Acer glabrum*, Torr.  
*Negundo aceroides*, Moench.  
*Rhus aromatica*, Ait., var. *trilobata*, Gray.  
 glabra, L.  
*Tecolestes dendron*, L.  
*Thermopsis montana*, Nutt.  
*Sophora secunda*, Persch.  
*Lapinius argenteus*, Persch.  
 var. *argyrophylloides*, Watson.  
 capito, Nutt., Fruit.  
 parviflora, Nutt.  
 pusillus, Pursh.  
*Trifolium daucifolium*, T. & G.  
 nanum, Torr.  
 Parryi, Gray.  
 pratense, L.  
 repens, L.  
*Medicago sativa*, L.  
*Pterolepis argyrophylla*, Persch.  
 hypogaea, Nutt.  
 lanceolata, Pursh.  
 tenuiflora, Pursh.  
*Amorpha fruticosa*, L.  
 Dalea Jamesii, T. & G.  
*Petalostemon candidus*, Mx.  
 microstachys, Torr.  
*viscidulus*, Mx.  
*Glycyrrhiza lepidota*, Pursh.  
*Astragalus aboriginum*, Rich.  
 undulatus, Pall.  
 alpinus, L.  
 bimaculatus, Gray.  
*campestris*, Gray.  
*Canadensis*, L.  
*caryocarpus*, Ker.  
*decumbens*, Gray.  
*Drummondii*, Dougl.  
*Eschscholtzii*, Dougl.  
*hypoglottis*, L.  
*juncens*, Gray.  
*Kentrophyta*, Gray.  
*lotiferus*, Hook.
- Astragalus microlobus*, Gray.  
*Misionensis*, Nutt.  
*multiflorus*, Gray.  
*oroboides*, Hornem., var. *Americanus*, Gray.  
 Parryi, Gray.  
 pictus, var. *filifolius*, Gray.  
*racemosus*, Pursh.  
*Shortiana*, Nutt.  
*sparsiflorus*, Gray.  
*triflorus*, Gray.  
*Oxytropis campestris*, DC.  
 deflexa, DC.  
 Lamberti, Pursh.  
 multiceps, Nutt.  
*splendens*, Dougl.  
*Vicia Americana*, Muhl.  
 var. *lutea*, Watson.  
*Lathyrus ornatus*, Nutt.  
 palustris, L.  
*polymorphus*, Nutt.  
*Prunus Americana*, Marshall.  
 Chiasea, Mx.  
*Pennsylvanica*, L. f.  
*Virginiana*, L.  
*Spiraea discolor*, Pursh.  
 var. *divaricata*, Watson.  
*Neillia opulifolia*, Bentk. & Hook.  
 Torrey, Watson.  
*Rubus deliciosus*, James.  
 strigosus, Mx.  
*Cercocarpus parvifolius*, Nutt.  
*Dryas octopetala*, L.  
*Fallugia paradoxus*, Endl.  
*Grimm Rossi*, Seringe.  
 var. mollis, T. & G.  
*macrophyllum*, Wild.  
*strictum*, Ait.  
*triflorum*, Pursh.  
*rivale*, L.  
*Fraxinus vesca*, L.  
*Virginia*, Duchesne, (f. typ.).  
*Potentilla Anserina*, L.  
 arguta, Pursh.  
 fruticosa, L.  
 glandulosus, Lindl.  
 gracilis, Dougl.  
*Hippizia*, Lehm.  
 var. *palmeriana*, Watson.  
*humifusa*, Nutt.  
*nives*, L.  
*Norvegica*, L.  
*Pennsylvanica*, L., var. *strigosa*,  
 var.  
*Platynota*, Nutt.  
*supina*, L.  
*Sibelia procumbens*, L.  
*Agrimonia Eupatoria*, L.  
*Rosa blanda*, Alt.  
*Pirus sambucifolia*, Ch. & Sch.  
*Crataegus rivularis*, Nutt.  
 Douglasii, Lindl.  
*Amelanchier alnifolia*, Nutt.  
*Saxifraga bronchialis*, L.  
 cespitosa, L.  
*ernaria*, L.  
*chrysanthra*, Gray.  
*debilis*, Eng.  
*fragillaris*, Wild.  
*Jamesii*, Torr.  
*nivalis*, L.  
*punctata*, L.  
*rivularis*, L.  
*trinervata*, Retz.  
*Mitchella pentandra*, Hook.  
*Hedera betzeana*, Seringe.  
 Hallii, Gray.  
*parvifolia*, Nutt.  
*Parnassia parviflora*, DC.  
*Jamesia Americana*, T. & G.  
*Ribes aureum*, Pursh.  
 cereum, Dougl.  
 laevigatum, Poir.  
*leptanthum*, Gray.  
*oxyanthoides*, L.  
*prostratum*, L'Her.  
*Sedum rhabdotanthum*, Gray.  
*Rhodiola*, DC.

- Sedum stenopetalum*, Presl.  
*Annonaria latifolia*, L.  
*Lythrum alatum*, Pursh.  
*Hippocratea vulgaris*, L.  
*Knautia apiana*, L.  
 —*angustifolia*, L.  
 —*colorata*, Muell.  
 —*latifolia*, L.  
 —*origanifolia*, Lam.  
 —*palustris*, L.  
*Corynophyllum racemosum*, T. & G.  
 —*ramosissimum*, T. & G.  
*Enothera althaeoides*, Nutt.  
 —*bimaculata*, L.  
 —*brachycarpa*, T. & G.  
 —*cuspiseta*, Nutt.  
 — (Cleopatra form.)  
 —*coronopifolia*, T. & G.  
 —*pinnatifida*, Nutt.  
 —*sericea*, Nutt.  
*Gaura coccinea*, Nutt.  
 —*parviflora*, Dougl.  
*Circis Paxtoni*, Asch. & Graeb.  
*Mentzelia albicaulis*, Dougl.  
 —*mollis*, Gray.  
 —*multiflora*, T. & G.  
*Cucubalus perennis*, Gray.  
*Echinocystis lobata*, T. & G.  
*Ceratonia siliqua*, Engl.  
*Opuntia Missouriensis*, DC.  
*Mollugo verticillata*, L.  
*Sanicula Europaea*, L.  
*Carum Saussurei*, B. & H.  
*Betula angustifolia*, Koch.  
*Circaea maculata*, L.  
 (?) *fractyleura*, Wats.  
*Osmorhiza nuda*, Torr.  
*Ligusticum apulum*, B. & H.  
 —*montanum*, Gray.  
 —*scopolorum*, Gray.  
*Archangelica strobopurpurea*, Hoffm.  
 —*Gezelina*, DC.  
*Cymopterus alpinus*, Gray.  
 —*glomeratus*, Raf.  
 —*montanus*, T. & G.  
 (?) *sinuatus*, Gray.  
*Musenium divaricatum*, Nutt.  
*Archamora Fendleri*, Gray.  
*Pedicularis sudetica*, Nutt.  
*Heracleum tanaiticum*, Mx.  
*Aralia nudicaulis*, L.  
*Cornus stolonifera*, Mx.  
*Adoxa Moschatellina*, L.  
*Samucus racemosus*, L.  
*Viburnum pauciflorum*, Pylai.  
*Limnaea horadalis*, Gruner.  
*Symplocarpus oreophilus*, Gray.  
 —*orientalis*, R. Br.  
*Lonicera involucrata*, Banks.  
*Gallium boreale*, L.  
 —*triflorum*, Mx.  
*Valeriana edulis*, Nutt.  
 —*ylvatica*, Richards.  
*Liatris punctata*, Hook.  
 —*sericea*, Willd. ? (Probably dis.  
*Eupatorium parvifolium*, L. (Inct.)  
*Kuhnia eupatorioides*, L.  
 var. *grecilis*, T. & G.  
*Brickellia Wrightii*, Gray.  
 —*grandiflora*, Nutt.  
*Gutierrezia Euthamiae*, T. & G.  
*Grindelia squarrosa*, Dunal.  
*Chrysopsis villosa*, Nutt., 3 vars.  
*Nardosmia segittata*, Hook.  
*Aplopappus Fremontii*, Gray.  
 —*inobita*, T. & G.  
 —*Parryi*, Gray.  
 —*pygmaea*, Gray.  
 —*spinulosus*, DC.  
*Bigelovia Bigelovii*, Gray.  
 —*Douglasii*, Gray.  
 var. *latifolia*, Gray.  
 var. *tortifolia*, Gray.  
*graveolens*, Gray, and vars.  
*Greenii*, Gray.  
*Howardii*, Gray.  
 —*Parryi*, Gray.  
 new.  
*Solidago lanceolata*, L.  
*Missouriensis*, Nutt.  
*Canadensis*, L.  
*memorialis*, Ait.  
 var. *mollis*, Bartl. (?)  
 var. (?) (peculiar form.)  
*speciosa*, Nutt., var. *angustata*,  
 Gray ? (dry.)  
*humilis*, Pursh.  
*Virga-aurea*, L. (typical form.)  
 var. *multiradiata*, T. & G.  
 var. *alpina*, Big.  
*Solidago rigida*, L.  
 —*gigantea*, Michx. (Gray.)  
*Townsendia grandiflora*, Nutt.  
 —*sericea*, Hook.  
 —*strigosa*, Nutt.  
*Aster adscendens*, Lindl.  
 var. *obtusifolius*, T. & G.  
 var. *Fremontii*, T. & G.  
 var. *Parryi*, Eaton.  
*canescens*, Pursh.  
 var. *latifolia*, Gray.  
*Coloradoensis*, Gray.  
*erectifolius*, Roth.  
*erectoides*, L., var. *strictus*, Porter.  
*Fendleri*, Gray.  
*glaucia*, Nutt.  
*glaucus*, T. & G.  
*leptia*, L.  
*multiflora*, Ait.  
 var. *communis*, Gray.  
*Norm.-Angust.*, L.  
*Nuttallii*, T. & G.  
*plumicoides*, T. & G.  
*salicinus*, Rich.  
*tenacifolius*, HBK.  
*Erigeron annuus*, Pers.  
*armeniacifolius*, Turcz.  
*Bellidistrum*, Nutt.  
*Canadensis*, L.  
*canus*, Gray.  
*compositus*, Pursh.  
*concinus*, T. & G.  
*divergens*, T. & G.  
*digitatus*, Gray.  
*glandulosus*, Porter.  
*macrocephalus*, Nutt.  
*ursinus*, Eston.  
*uniformis*, L.  
 new species.  
*Antennaria alpina*, Gertz.  
*Carpathica*, R. Br., var. *palustris*,  
 Hook.  
 dioica, Gertz.  
*Gnaphalium Sprengelii*, H. & A.  
 —*strictum*, Gray.  
*Pericallis canaria*, Gray.  
*Melantherum canescens*, DC.  
*Iva axillaris*, Pursh.  
 —*xanthiifolia*, Gray.  
*Ambrosia polystachys*, DC.  
 —*trifida*, L.  
*Franseria Hookeriana*, Nutt.  
 —*tenella*, Gray.  
*Xanthium strumarium*, L.  
 var. *echinatum*, Gray.  
*Rudbeckia hirta*, L.  
 —*laevistylis*, L.  
*Verbena encelioides*, Benth. & Bak.  
*Zinnia grandiflora*, Nutt.  
*Lepidochys columnaris*, T. & G.  
 var. *Tageda*, Gray.  
*Heliosciurus loricatus*, Peters.  
*Thlasperma filiforme*, Gray.  
 —*gracile*, Gray.  
*Heliotomis multiflora*, Nutt.  
*Helianthus annuus*, L.  
 —*Nuttallii*, Gray.  
 —*petiolaris*, Nutt.  
 —*pumilus*, Nutt.  
 " ?  
 —*rigidus*, Desf.  
*Bidens chrysanthemoides*, Mx.  
 —*fondens*, L.  
 —*bipinnata*, L.  
*Babin oppositifolia*, T. & G.  
*Villanova chrysanthemoides*, Gray.  
*Chenopodium Douglasii*, Hook. & Arn.  
*Hymenopappus tenuifolius*, Pursh.  
*Guillardia aristata*, Pursh.  
 —*pinnatifida*, Torr.  
*Helemis autumnale*, L.  
*Actinella aculea*, Nutt.  
 —*grandiflora*, T. & G.  
*Richardsonii*, Nutt.  
 —*scoparia*, Nutt.  
*Dysodia chrysanthemoides*, Leg.  
*Pectis angustifolia*, Torr.  
*Lowellia aurea*, Torr.  
*Achillea Millefolium*, L.  
*Artemisia biennis*, L.  
 —*Canadensis*, Mx.  
 —*discolorata*, Pursh.  
 —*filiformis*, Torr.  
 —*frigida*, Willd.  
 —*glomerata*, Gray.  
*Lindbergia*, Nutt., typical form  
 and 3 varieties.  
*Norvegica*, Fries.  
*scopolorum*, Gray.  
*tridentata*, Pursh.  
 —*longifolia*, Nutt.  
*Collomia aggregata*, Porter.  
 —*geniculata*, Dougl.  
 —*linearis*, Nutt.  
 —*longiflora*, Gray.  
*Gilia congesta*, Hook., var. *crebrifolia*, Gray.  
 —*inconspicua*, Dougl.  
 —*pinnatifida*, Nutt.  
 —*panigera*, Benth.  
*Polemonium ceratostylum*, L.  
 —*confertum*, Gray.  
 —*var. mollitum*, Gray.  
*felix-mas*, Gray.  
*leptophyllum*, Willd., v. *palchellum*, Gr.  
*Hydrophyllum occidentale*, var. *Fendleri*, Gray.  
*Ellisia Nyctaginea*, L.  
*Phacelia circinata*, Jacq. f.  
 —*glandulosa*, Nutt.  
 —*sericea*, Gray.  
*Heliotropium Chrysanthemum*, L.  
*Oenothera mollis*, Mx.  
*Lithospermum angustifolium*, Mx.  
 —*multiforme*, Torr.

- Echinospurum floribundum*, Lehmann.  
*Hedysarum*, Lehmann, var. *occidentale*, Watson.  
*Eritrichium nanum*, Schrad., var. *arcticoides*, Herder.  
*Californicum*, DC., var. *sahulosum*, Gray.  
*crassipes*, T. & G.  
*glomeratum*, DC.  
 var. *virgatum*, Purter.  
*Japonicum*, Torr.  
*leptocarpum*, Watson.  
*Mertensia alpina*, Don.  
 lanceolata, DC.  
 Siberica, Don.  
*Ipsoma leptophylla*, Torr.  
*Convolvulus sepium*, L.  
*inclusus*, Vahl.  
*Evolvulus argenteus*, Pursh.  
*Cuscute decora*, Chevrey.  
 curta, Engelm.  
*Solanum nigrum*, L.  
 rostratum, Dunal.  
*triflorum*, Nutt.  
*Physalis lobata*, Torr.  
 lanceolata, Mx.  
 pubescens, L.  
*Lizaria Canadensis*, Dumont.  
*Collomia parviflora*, Dougl.  
*Seraphium Californiae*, Cham.  
*Pentstemon secundatus*, Dougl.  
 albidus, Nutt.  
 caruleus, Nutt.  
 glaber, Pursh.  
 var. *cyananthus*, Gray.  
 glaucus, Gray.  
 Hallii, Gray.  
 humilis, Nutt.  
 secundiflorus, Benth.  
 — new.  
 gracilis, Nutt.  
*Chionophila Jamesii*, Benth.  
*Mimulus floribundus*, Dougl.  
 Jamesii, T. & G., var. *Freemontii*,  
 Benth.  
 integrifolia, L.  
*Gratiola Virginiana*, L.  
*Limocella aquatica*, L.  
*Syzygium alpinum*, Gray.  
 plantaginea, Benth.  
*Veronica spicata*, L.  
 Americana, Schreb.  
 peregrina, L.  
*Gerardia tenuifolia*, Vahl, var. *macrophylla*, Benth.  
*Castilleja brevipedunculata*, Gray.  
 integra, Gray.  
*linarioides*, Benth.  
 pallida, Kunth, and 2 varieties.  
*sessiliflora*, Pursh.  
*Orthocarpus luteus*, Nutt.  
*Pedicularis bracteosa*, Benth.  
 Canadensis, L.  
 crenulata, Benth.  
*Grevillea*, Rott.  
 Parryi, Gray.  
 procera, Gray.  
 incana, Dougl.  
 scopulorum, Gray.  
*Aphyllon fasciculatum*, Gray.  
*Verbena Aulicta*, L.  
 bracteosa, Mx.  
 hastata, L.  
*Lippia cuneifolia*, Steud.  
*Meathia Canadensis*, L.  
*Lycopodium squarrosum*, Ellis.  
*Hederae Drammontii*, Benth.  
 hispida, Pursh.  
*Saxifraga linearis*, Willd.  
*Monarda fistulosa*, L.  
*Lophanthus amaranthus*, Benth.  
*Drancephalum parviflorum*, Nutt.  
*Sectularia resinosa*, Torr.  
*Brunnula vulgaris*, L.  
*Stachys cordata*, Riddell.  
*Plantago eriopoda*, Torr.  
 Patagonica, Jacq., var. *graphioidea*, Gray.  
 var. *aristata*, Gray.  
*Mirabilis oxybaphoides*, Gray.  
*Oxybaphus hispidus*, Sweet.  
 noctagineus, Sweet.  
 var. *Cervantesii*, Gray.  
 angustifolius, Sweet.  
*Abrasax fragrans*, Nutt.  
 micrantha, Torr.  
*Paronychia Jamesii*, T. & G.  
 pulvinata, Gray.  
 sessiliflora, Nutt.  
*Oxyria digyna*, Campd.
- Ranunculus Acetosella*, L.  
 occidentalis, Watson.  
*crispus*, L.  
*salicifolius*, Weiss.  
*venosus*, Pursh.  
*Polygonum Malibergii*, Watson.  
 amphibolum, L., var. *aquaticum*,  
*crenatum*, L. [Willd.  
*lapathifolium*, Ait., var. *incan-*  
 um, Koch.  
*sericeum*, HBK.  
*uvicinare*, L.  
*Bastard*, L., var. *lineatifolium*,  
 Watson.  
 var. *oblongifolium*, Meissn.  
*Pennsylvanicum*, L.  
*Convolvulus*, L.  
 daucetorum, L.  
*incarnatum*, Ell.  
*ramosissimum*, Mx.  
 tenue, Mx.  
 viriparum, L.  
*Eriogonum alatum*, Torr.  
 annuum, Nutt.  
*corymbosum*, Benth.  
*ceratoides*, Nutt.  
*flavum*, Nutt.  
*Jamesii*, Benth.  
 — var.?  
*microthecum*, Nutt., var. *Fend-*  
 lerianum, Benth.  
 var. *effusum*, T. & G.  
*panciculatum*, Pursh.  
*umbellatum*, Torr.  
*Anemone uliginosa*, L.  
 blitoides, Watson.  
 retroflexa, L.  
*Montelia tanacetina*, Gray.  
*Alternanthera (T.) hirsutissima*, Torr.  
*Freelichtia Flaccidula*, Moq.  
*Sarcobatus vermiculatus*, Torr.  
*Suaeda intermedia*, Watson.  
 depressa, var. *erecta*, Watson.  
*Teloxys comuta*, Torr.  
*Cycloloma platyphyllum*, Moq.  
*Chrysopodium album*, L.  
 Botrys, L.  
 Fremontii, Watson.  
 hybridum, L.  
*leptophyllum*, Nutt.  
*Blitum capitatum*, L.  
*Monolepis cheilosiodoides*, Moq.  
*Atriplex argentea*, Nutt.  
*canescens*, James.  
 confertifolia, Watson.  
 patula, L.  
*Eruca sativa*, Moq.  
*Corispermum hyssopifolium*, L.  
*Succowia petiolaris*, Gray; very rare.  
*Shepherdia Canadensis*, Nutt.  
*Comandra pallida*, DC.  
*Urtica gracilis*, Ait.  
*Parietaria Pennsylvanica*, Muhl.  
*Humulus Lupulus*, L.  
*Euphorbia dieterveperna*, F. & M.  
 Fendleri, T. & G.  
 glyptosperma, Engelm.  
 dentata, Mx.  
 marginata, Pursh.  
 montana, Engelm.  
 petiolaris, Engelm.  
 revoluta, Engelm.  
 serpyllifolia, Pers.  
 stictocarpa, Engelm.  
*Traigia stylosa*, Torr.  
*Croton Texensis*, Mull.  
*Argythamnia humiliella*, Mull.  
*Callitricha vernae*, L.  
*Betula glandulosa*, Mx.  
 occidentalis, Hook.  
*Alnus incana*, Willd., var. *virginiana*,  
 Watson.  
*Salix arctica*, Pall., var. *petreni*, And.  
 chionophylla, And.  
 cordata, Muhl.  
 desertorum, And.  
 longifolia, Muhl., var. *argyro-*  
 phylla, And.  
 irrorata, And.  
 nigra, Marshall, var. *amygdalo-*  
 ides, And.  
 Norm.-Angliae, var. *pseudo-cord-*  
 reticulata, L. [stu, And.  
 rostrata, Richards.  
*Populus tremulifera*, L., var. *can-*  
 dictica, Gray.  
*angustifolia*, James.  
*tremuloides*, Mx.  
*Quercus undulata*, var. *Gunnisonii*,  
*Corylus rostrata*, Ait. [Tort.
- Arenaria robustum*, Engelm.  
*Juniperus occidentalis*, Hook.  
 communis, L., var. *humilis*, Engelm.  
*Virginiana*, L.  
*Abies concolor*, Lindl.  
 subspina, Engelm.  
*Pandanus Douglasii*, Carr.  
*Picea pungens*, Engelm.  
 Engelmanni, Parry.  
*Pinus aristata*, Engelm.  
 contorta, Engelm.  
 flexilis, James.  
 ponderosa, Dougl.  
 edulis, Engelm.  
*Habenaria hyperborea*, Gray.  
 obtusa, Lindl.  
 dilatata, Gray.  
*Spiranthes Romanzoffiana*, Chase.  
*Listera cordata*, R. Br.  
*Iris Missouriensis*, Nutt.  
*Sisyrinchium mucronatum*, Mx.  
*Allium vernum*, Roth.  
 reticulatum, Fras.  
 Nattallii, Watson.  
*Lonicera montana*, Nutt.  
*Smilacina simplexissima*, Nutt.  
 stellata, Desv.  
*Yucca angustifolia*, Pursh. (Fls. and  
 fruit, no leaves.)  
*Lilium Philadelphicum*, L.  
*Lloydia serotina*, Reich.  
*Calochortus Gunnisonii*, Watson.  
*Sisyrinchium amphioxiphium*, DC.  
*Zygadenus fremontii*, Pursh.  
 Nattallii, Gray.  
*Smilax herbacea*, L., var. *modesta*,  
 Jones.  
*Sparganium eurycarpum*, Engelm.  
*Lemna minor*, L.  
*Zannichellia palustris*, L.  
*Potamogeton natans*, L.  
 pectinatus, L.  
 rufescens, Schrad.  
 paniculata, Pursh.  
*Triglochin palustris*, L.  
*Alisma Plantago*, L., var. American-  
 um, Gray.  
*Sagittaria variabilis*, Engelm.  
*Luzula spicata*, DC., var. *parviflora*,  
 Ledeb.  
 var. *congesta*, Engelm. (ms.)  
 spicata, Desv.  
*Juncus alpinus*, Vill.  
 Balticus, Delth., var. *montanus*,  
 bufoinus, L. [Engelm.  
 Drammontii, E. Meyer.  
 longistylis, Torr.  
*Mertensia*, Meyer.  
 nodosa, L., var. (near to typi-  
 cal form)  
 var. *megaphylla*, Torr.  
 tenuis, Willd.  
 var. *coerulescens*, Engelm.  
 triglumis, L.  
 xiphoides, E. Meyer, var. mon-  
 tanus, Engelm.  
*Tradescantia Virginiana*, L.  
*Cyperus inflexus*, Muhl.  
 Schweinitzii, Torr.  
 filiformis, Vahl.  
*Scirpus pauciflorus*, Lightf.  
 pungens, Vahl.  
 lacustris, L., var. *occidentalis*,  
 Watson.  
 strovirens, Muhl.  
*Eriophorum polystachyon*, L.  
*Hemicarpha subsequarrosa*, Nees, var.  
 squarroso, Engelm.  
*Elaeocharis neocaroliae*, R. Br.  
 palustris, R. Br.  
*Elyna spicata*, Schk.  
*Carex alpina*, L.  
 seguinii, Wahlenb.  
 atrata, L., var. *nigra*, Boott.  
 aures, Nutt.  
 Baekii, Boott.  
*Benplandii*, Kunth, var. *angusti-*  
 folia, Boott.  
 bromoides, Schk.  
 canescens, L.  
 capillaris, L.  
 disticha, Huds.  
 festiva, Dewey.  
 filifolia, Nutt.  
 lanuginosa, Mx.  
*Humulus*, Pries. (Not of Gray's  
*nigricans*, E. Meyer. (Manus.)  
*Pennsylvanica*, Lom.  
 rigida, Good.  
 Rossii, Boott.

*Carex saxatilis*, L. (*pulla*, Good.)  
 acoata, Dewey.  
*stomophylla*, Wahl.  
*straminea*, Schk.  
 var. *tenore*, Carey.  
 var. *minore*, Dewey.  
*tegella*, Schk.  
*trichocarpa*, Muhl., var. *imberbis*, Boott.  
*tristiseta*, Boott. [*it.*, Carey.  
*Pyrrenia*, Wahl.  
*Jamesii*, Torr.  
 var. (*Not C. Nebrascensis*).  
*verticillata*, Boott.  
*stricta*, Lam.  
*dava*, L., var. *Edleri*, W. Boott.  
*Ponicsus capillaris*, L.  
*crous-galli*, L.  
*dichotomum*, L.  
*paniceiforme*, Bl.  
*virginum*, L.  
*Setaria italica*, Kunth.  
*viridis*, Beauv.  
*sandata*, R. & S.  
*Cenchrus tribuloides*, L.  
*Lecidea cyathula*, Swartz.  
*Alopecurus aristulatus*, Mx.  
 alpinus, Smith.  
*Phleum alpinum*, L.  
 pratense, L.  
*Beckmannia eruciformis*, Huds.  
*Hierochlora borealis*, R. & S.  
*Phalaris arundinacea*, L.  
 canariensis, L.  
*Villa cuspisata*, Torr.  
 longifolia.  
 tricholepis, Torr.  
*Sporobolus airoides*, Torr.  
*cryptandrus*, Gray.  
 ramulosus, Kunth.  
*asperifolius*, Thunber.  
*Agrostis scabriuscula*, Willd.  
 varians, Trin.  
 vulgaris, Willd.  
*Muhlenbergia gracilis*, Gray.  
 var. *Fendleri*, Vasey.  
 gracilissima, Torr.  
*glomerata*, Trin.? —“198”, C.  
 Wright; collected in New Mexico  
 by Wright and ticketed as above  
 but I think must be a new species.  
 sylvatica, T. & G. [Vasey.  
 Texana, Thurb.  
*Vaseya comata*, Thurb.  
*Calymegrostis Canadensis*, Beauv.  
 stricta, Trin.  
 longistylis, Torr.  
 sylvatica, DC.  
*Oryzopsis asperifolia*, Mx.  
 micrantha, Thurb.  
*Eriogonum acuminatum*, Nutt.  
*Stipa comata*, Trin. & Rep.  
 sphaerica, Trin.  
 viridula, Trin.  
 “var.”  
 pennata, L., v. *Americana*, Vasey.  
*Aristida purpurea*, Nutt., var. *Fendleri*, Vasey.  
 var. longistylis, Vasey.  
*Spartina cynosuroides*, Willd.

*Bouteloua curtipendula*, Gray.  
 oligostachya, Torr.  
*Buchloe dactyloides*, Engelm.  
*Munroa squarrosa*, Torr.  
*Leptochloa fascicularis*, Gray.  
*Pleuraphis Jamesii*, Torr.  
*Dianthonia soricea*, Nutt.  
*Avena strigosa*, Mx.  
*Trisetum alpestre*, Beauv.  
 spicatum.  
 subspicatum, Beauv.  
 var. molle, Gray.  
*Aira corymbosa*, L., var. *arctica*, Vasey.  
 var. montana, Vasey.  
*Tripsacum acominatum*, Munro.  
 montanum.  
*trinervium*.  
*Dactylis glomerata*, L.  
*Koeleria cristata*, Pers.  
*Estonia obtusa*, Gray.  
*Melica bulbosa*, Geyer.  
*Glyceria aquatica*, Beauv.  
 nervosa, Trin.  
*Catabrosa aquatica*, Beauv.  
*Distichlis maritima*, Raf.  
 var. stricta, Thunb.  
*Atropis Califoronica*, Munro.  
 distans, Griseb. [*Glyceria airoides*, Thunb.; *G. maritima*, Reichenb.]  
*Poa trivialis*, L.  
 abbreviata, R. Br.  
 tenuifolia, Thunb.  
 “?”  
 alpina, L.  
 “?”  
 stricta, R. Br.?  
 cassia, Smith.  
 “?”  
 “var. strictior, Gray.  
 fernosa, Muell. var.?  
 “var. occidentalis, Gray.  
*Ilex*, Hanno.  
 pratensis, L.  
 “?”  
 “var.”  
 serotina, Ehrh.  
*Eragrostis pectinoides*, Beauv., var.  
 megastachya, Gray.  
*Parashia*, Bernh.  
*Festuca tenella*, Willd.  
 ovina, L.  
 var. *duriuscula*, Gray.  
 var. *brevifolia*, Watson.  
 Thunber., Vasey.  
*Bromus secalinus*, L.  
 Kalophil, Gray, var. *occidentalis*,  
 effusus, var. *longulus*, L.  
*Ceratochloa brevirostrata*, Hook.  
*Lepturus paniculatus*, Nutt.  
*Triticum caninum*, L.  
 — between caninum and repens.  
 repens, L.  
 — Double spikelets.  
 var. *acutum*, Vasey.  
 var. *compactum*, Vasey.  
*violaceum*, Horneum.  
*strigosus*, Less.  
*Hordeum nodosum*, L.  
 pratense, Hudson.  
*Elymus acutus*, L.  
 Canadensis, L.  
 Sibiricus, Schult.  
 condensatus, Presl, var. *triticoides*, Thunb.  
*Virginicus*, L., var. new.

*Elymus Sibericus*, L.  
*Andropogon glaucus*,  
 spirarius, Mx.  
*Sorghum avenaceum*, Chapm.  
*Equisetum arvense*, L.  
 prutenense, Ehrh.  
 ligustrinum, Braun.  
*Polypodium vulgare*, L. (A very reduced form, alt. 8,500 feet.)  
*Pteris aquilina*, L.  
*Chenopodium Fendleri*, Hook.  
 lanuginosus, Nutt.  
 Eatonii, Hook.  
*Notholaena Fendleri*, Kane.  
*Polygonum atrorubens*, Link.  
*Cryptogramma acrostichoides*, R. Br.  
*Aspidium Flinx-mas*, Swartz.  
*Asplenium Titchoniense*, L.  
 septentrionale, L.  
*Cystopteris fragilis*, Bernh.  
*Woodia Oregonia*, Eaton.  
 scopulina, Eaton.  
*Selaginella rupestris*, Spring.  
 Chara, two species not named.  
*Dicranum viride*, Hedw.  
*Didymodon rubellus*, Br. Ehr.  
*Hedwigia ciliata*, Ehrh.  
*Encalypta vulgaris*, L.  
*Funaria hygrometrica*, Hedw.  
*Bryum pseudotum*, Schimp.  
 intermedium, W. & M.  
 binum, Schreb.  
 pyriforme, L.  
*Timmia neapolitana*, Hedw.  
*Pogonostium alpinum*, Brid., var. *cannulatum*.  
*Aulacomnium palustre*, Schwartz.  
*Hypnum revolutum*, Hedw.  
 rugosum, Ehrh.  
 subtinuum, L.  
*Marchantia polymorpha*, L.  
*Evernia sulphurata*, Wulf.  
*Pinocidium elegans*, (Link) Nybl.  
*Peltigera sphagnorum*, Hoffm.  
*Urtica hirta*, Pries.  
*Claydonia nigridis*, Hoffm.  
 fimbriata.  
**FUNGI**  
*Puccinia Physalidis*, Peck n. sp.  
*Uromyces exaratus*, DC.  
 hyalinus, Peck.  
 Lupini, B. & C.  
*Trichobasis Leguminosarum*, Link.  
 gaumannii, Peck n. sp.  
*Sorosporium Astragali*, Peck n. sp.  
 atrum, Peck n. sp.  
*Coleosporium minutissimum*, Bon.  
*Ascidia Euphorbiae*, Pers.  
 hemisphaericum, Peck.  
 gasteria, Peck n. sp.  
*Pseudeuca*, Peck.  
*Microsphecia Molophilae*, Ler.  
*Sphaerella magnatana*, Peck n. sp.  
*Erysiphe communis*?  
*Melanopora Hartigii*, Thüm.  
*Ustilago ureolarum*, Tul.

#### KANSAS PLANTS

*Viola pulcherrima*, Ait., var. *ericarpa*,  
 Nutt. (Fruit).  
*Acacia arguta*, Buckley.  
*Astragalus mollissimus*, Torr.